CCINNEXOON





Connected Environments (Connexoon)


First Step

Accelerate even more connectivity in homes by proposing to users and to professionals a simple, attractive and accessible offer to connect Somfy's equipments.

Connexoon, a smooth first step, into Somfy Connect universe



My house welcomes me: thanks to geofencing, gate and garage door open just before I come home. Outdoor lights automatically turn on at night. All equipment close as soon as my car is parked.





When you leave your home, in 1 click on your Smartphone, close your roller shutters and activate your alarm.





Installatio	n
[1]	
2	
3	www.somfy-connect.com
4	somfy somfy somfy

CINNEXOC	ON

Technical Specifications					
Protocol	io Homecontrol – 2 ways				
Frequency	868MHz 868.000 MHz - 868.600 MHz - ERP <25 mW 868.700 MHz - 869.200 MHz -ERP <25 mW 869.700 MHz - 870.000 MHz - ERP <25 mW				
Dimensions	110 x 71,5 x 24 mm				
Weight	≈77gr				
Power	μUSB 5VDC / 500mA Power supply 110/230V- 50/60 Hz (E/F/J Type compliant)				
Consumption	120 mA (nominal)				
Connectors	1x Ethernet RJ45 1x Micro-USB				
Operating ambient temperature	+5°C to +35°C				
Color	White				
Others	LED <i>(Red/Green)</i> "PROG" button "Reset" button				





CIJNNEXOON





Technical Specifications					
	1x USB power adapter				
In the box	1x RJ45 cable 1m				
III the box	2x Quick start guides				
	1x Legal notice				

Functional Specifications					
Туре	Identification	Recommanded	Maximum		
Actuators	Discovered	7	200		
Actuators	In "Life scene"	7	200		
Actuators	In a Timer	7	200		
Actuators	In a Scenario (I'm at Home)	7	200		
Actuators	In a sensor automatism	7	200		
HUE Bridge					
Sunis	Discovered	1	50		
Thermis	Discovered	1	50		
Opening	Discovered	5	50		
Life Scenes	For Connexoon Terrace only	4	4		
Timer	For Connexoon Window only	8	8		
Sun protection per sensor	For Connexoon Window & Terrace	4	4		
Thermic protection per sensor	For Connexoon Window & Terrace	4	4		
Window protection per sensor	For Connexoon Window only	4 4			
E-mail alerts	Per account	count 1			
Push alerts	Per account	Unlimited	Unlimited		











CIJNNEXOON





Compatibility							
Mobile applications	somfy	s o mfy	son		iPhone	ı∰ıA	ndroid
Protocols		io	Partners	5		hue	
s mfy		Garage door io Ga	tes lo Door locks i	ON-B Alarm lo	lo Lighting solutions	PHILIPS Hue Lighting solutions	
somfy	Awning io	screenio Pergo	la io lo Lighting solutions	PHILIPS Hue Lighting solutions		Sun sensor io	Temperature sensor io
somfy	Roller shutters lo B		elux Roof Velux Roof roller windows shutters & blinds	ON-B le Ughting solutions	PHILIPS HueUghting solutions	n sensor lo Temper	ature NEW opening





